

CURASEPT® PREVENT

PROTECTION AND
PREVENTION LINE
FOR THE MAINTENANCE
OF IMPLANTS



Mucositis
and previous
gingivitis



Smoking



Diabetes
Dry mouth



Immuno-
suppression



Obesity



Cardiovascular
diseases

BEST MAINTENANCE THERAPY FOR
PATIENT WITH RISK FACTORS

CURASEPT PREVENT

CURASEPT
PREVENT

AN INNOVATIVE FORMULATION

POSTBIOTICS

The postbiotic present in the Curasept Prevent line is derived from the **bio-fermentation of lactate** by a strain of *Lactobacillus Paracasei* CNCM I-5220 using a **patented** and reproducible **process** (PBTech®) that allows for obtaining a **mixture of pure postbiotics**: (Bacillus Ferment Extract Filtrate, Hexadecenoic Acid, Oleic Acid, Riboflavin).

The mixtures of metabolites are completely free of microorganisms, whether alive or dead, or fragments thereof, and do not contain the culture broth.

The PBTech® fermentation process is unique because, starting from a specific strain, it allows for obtaining **postbiotics with a precise and reproducible metabolic profile.**

By varying some production steps from the same strain, it is possible to obtain different metabolites that **contribute to maintaining immune homeostasis and protecting mucosal barriers.**

OZONIZED OLIVE OIL

It creates a favorable environment to **maintain the balance of the oral microbiota** and improve the health of gingival tissue and oral mucosa.

STEVIA

Natural sweetener with **anti-caries action.**

PVP/VA

Thanks to its ability to adhere to teeth and oral mucosa, **it creates a protective film that hinders the adhesion and proliferation of bacterial plaque.**

COLOSTRUM

Supports defenses and strengthens gums and oral mucosa.

MELALEUCA OIL

Also known as Tea Tree Oil, it contains a set of **natural substances with antioxidant action.**

PROBIOTIC

An exclusive association of probiotic bacteria.

- ***Bifidobacterium Lactis* HN019**: It has the ability to improve the outcomes of periodontal therapy and rebalance the microbiota.

- ***Kluyveromyces Marxianus* Fragilis B0399**: It is the first non-Saccharomyces yeast approved for probiotic use in human nutrition.

BIOTIN

Biotin is an essential micronutrient belonging to the B vitamin group. **It helps the trophism and good function of the mucous membranes.**

CURASEPT PREVENT

CURASEPT
PREVENT



CS-02451 - 300 ml Bottle / CS 02450 - 75 ml Tube

Curasept Prevent MOUTHWASH - TOOTHPASTE

Rebalances the oral microbiota and improves gingival tissue health even in cases of pre-existing gingival pathologies.

Use twice a day.



CS-02452 - 30 ml Tube

Curasept Prevent GEL

It creates a protective barrier in a target site counteracting the proliferation of the biofilm and bacterial plaque.

Apply 2 - 3 times a day and use in association with Prevent toothpaste.



CS-02456 - 16 chewable tablets

Curasept Prevent PRO & PROBIOTICS FOOD SUPPLEMENT

Rebalances the oral microbiota and improves gingival tissue health, even in cases of pre-existing gum disease.

Ideal for implant wearers, smokers, diabetics, and individuals with dry mouth or compromised immune systems.



CS-02457

Curasept Prevent KIT POSTBIOTICS FOR DAILY GUM HEALTH

Kit contains:

- 1 Curasept Prevent Mouthwash: rinse with 10 ml twice a day;
- 1 Curasept Prevent Toothpaste: apply a pea size and brush twice daily;
- 1 Curasept Softline 0.15 Toothbrush: with soft bristles to ensure an atraumatic cleaning action;
- 1 Pouch.

CURASEPT PREVENT



CLINICAL SITUATION	ACTIVE TREATMENT	MAINTENANCE PHASE			
	CURASEPT DNA ADS	CURASEPT PREVENT			
	Chlorhexidina 0.20	Mouthwash	Toothpaste	Gel ⁽¹⁾	Probiotic ⁽²⁾
IMPLANTOLOGY					
Single Implant	2 TIMES A DAY FOR MAX 15 DAYS	2 TIMES A DAY DAILY		2 TIMES A DAY	1 TABLET A DAY FOR 1 MONTH
Bridge on Implants	2 TIMES A DAY FOR MAX 15 DAYS	2 TIMES A DAY DAILY	2 TIMES A DAY DAILY		1 TABLET A DAY FOR 1 MONTH
Full Fixed Arch on Implants	2 TIMES A DAY FOR MAX 15 DAYS	2 TIMES A DAY DAILY	2 TIMES A DAY	2 TIMES A DAY	1 TABLET A DAY FOR 1 MONTH
Removable Overdenture on Implants	2 TIMES A DAY FOR MAX 15 DAYS	2 TIMES A DAY DAILY		2 TIMES A DAY	1 TABLET A DAY FOR 1 MONTH
Mucositis and Peri-implantitis	2 TIMES A DAY FOR MAX 15 DAYS				
PERIODONTOLOGY					
Gingival Health					1 TABLET A DAY FOR 1 MONTH
Gingivitis and Periodontitis	2 TIMES A DAY FOR MAX 15 DAYS				
Gingivitis and Periodontitis (Successfully Treated)		2 TIMES A DAY DAILY	2 TIMES A DAY DAILY	2 TIMES A DAY	1 TABLET A DAY FOR 1 MONTH
SPECIAL CLINICAL SITUATIONS					
Diabetes, Smokers, Weak Immune System, Systemic Diseases	2 TIMES A DAY FOR MAX 15 DAYS	2 TIMES A DAY DAILY	2 TIMES A DAY DAILY		1 TABLET A DAY FOR 1 MONTH

1) It can be used in addition to the mouthwash in case of localized forms, for greater subgingival action

2) Repeat the cycle every 3-4 months. It is ideal to start therapy immediately after a professional oral hygiene session. The product can nonetheless be used continuously without side effects.